



## Solid, simple and smart: Advanced reliability in compressed air-50Hz

**DRF151-480 fixed speed oil-injected screw compressor**  
**DRF151-340 PM variable speed oil-injected screw compressor**



Ceccato's fixed speed screw compressors are designed and built to give you that essential combination of reliability and efficiency. Easy to install, use and service, you can count on the fixed speed DRF151-480 to produce the quality air that keeps your production going.




#### Low operation cost

- Lower energy cost thanks to in-house designed, high-efficiency screw element
- Helps you move toward a green production with lower carbon emission
- Monitor and optimize your compressor remotely with ICONS

#### Always reliable

- Reliable operation, even in 46°C
- IP55-enclosed drive train for dependable performance in dust and humid conditions

- 1 Oil separator
- 2 Compression element
- 3 Motor
- 4 Cooling fan
- 5 Air filter



### Easy operation

The intuitive ES4000T controller offers a host of air system management and monitoring options. The touchscreen gives you status updates and service alerts before performance becomes a problem. Servicing your air compressors is just as straightforward and hassle-free. The service panels can be removed quickly for immediate access to all mechanical and electrical components to ensure swift maintenance with minimal downtime.

## Technical specifications

### Air cooled

Model	Working pressure	Motor Power		Capacity		Noise level dB(A)	Dimension LxWxH (mm)	Weight kg	Connection Size
	Mpa	kW	hp	L/s	cfm				
DRF220	0.7	160	220	503	1066	78	2880 x 1754 x 1930	2970	DN80
	0.8			482	1020				
	1			443	939				
DRF270	0.7	200	270	607	1285	80	3502 x 1754 x 1983	3450	DN100
	0.8			567	1200				
	1			517	1094				
DRF340	0.7	250	340	755	1599	80	3502 x 1754 x 1983	3620	DN100
	0.8			713	1511				
	1			643	1363				
DRF450	0.8	315	450	871	1847	78	5100 x 2150 x 2250	6350	DN125
	1			804	1704				
	0.8			1007	2135				
DRF480	0.8	355	480	890	1887	79	5100 x 2150 x 2250	6380	DN125
	1			370	784				
	0.7			337	713				
DRF151	0.7	110	150	312	660	78	2880 x 1754 x 1930	3140	DN80
	0.8			433	918				
	1			412	872				
DRF181	0.7	132	180	378	801	78	2880 x 1754 x 1930	3230	DN80
	0.8			515	1091				
	1			483	1024				
DRF221	0.7	160	220	445	943	80	3502 x 1754 x 1983	3640	DN100
	0.8			705	1495				
	1			656	1391				
DRF341	0.8	250	340	705	1495	77	4800 x 2150 x 2250	5460	DN125
	1			656	1391				

### Water cooled

Model	Working pressure	Motor Power		Capacity		Noise level dB(A)	Dimension LxWxH (mm)	Weight kg	Connection Size
	Mpa	kW	hp	L/s	cfm				
DRF220	0.7	160	220	503	1066	75	2880 x 1754 x 1930	2870	DN80
	0.8			482	1020				
	1			443	939				
DRF270	0.7	200	270	607	1285	77	2902 x 1754 x 1983	3240	DN100
	0.8			567	1200				
	1			517	1094				
DRF340	0.7	250	340	755	1599	77	2902 x 1754 x 1983	3410	DN100
	0.8			713	1511				
	1			643	1363				
DRF450	0.8	315	450	871	1847	78	5100 x 2150 x 2250	5730	DN125
	1			804	1704				
	0.8			1007	2135				
DRF480	0.8	355	480	890	1887	79	5100 x 2150 x 2250	5760	DN125
	1			370	784				
	0.7			337	713				
DRF151	0.7	110	150	312	660	75	2880 x 1754 x 1930	3040	DN80
	0.8			433	918				
	1			412	872				
DRF181	0.7	132	180	378	801	75	2880 x 1754 x 1930	3130	DN80
	0.8			515	1091				
	1			483	1024				
DRF221	0.7	160	220	445	943	77	2902 x 1754 x 1983	3430	DN100
	0.8			705	1495				
	1			656	1391				
DRF341	0.8	250	340	705	1495	77	4800 x 2150 x 5460	5460	DN125
	1			656	1391				

Notes: \* Unit performance measured according to ISO 1217, annex C and ISO 2151 latest edition. \* More detail, please contact your local salesforce.




Energy takes up more than 70% of the cost of owning and operating a compressor room. Ceccato's variable speed oil-injected screw compressor, DRF 151-340 PM deliver up to 35% energy savings. That means you can earn back your choice in just one to two years. How's that for a financial no-brainer?



### Features

- In-house designed drive train to provides stronger power
- Integrated permanent magnet motor with ultra IE4 efficiency.
- Advanced IoT technology with ICONS built-in, enable your instant monitoring your compressor



- 1 Oil separator
- 2 Compression element
- 3 Motor
- 4 Air filter
- 5 Inverter


## Revolutionary drive train technology

### Improved energy efficiency saves you money

- In-house designed PM motor with IE4/IE5 premium efficiency.
- New generation screw elements, with improved efficiency.
- Integrated direct drive transmission for minimal losses.
- Smart inlet valve optimizes the inlet flow and improves efficiency.

### Increased reliability extends lifetime

- PM motor rated IP55 and IP66, premium protection against dust and water ingress.
- Optimal cooling at all speeds and conditions thanks to oil-cooling principle of the PM motor up to 220 hp.



- 1 In-house designed screw element
- 2 Direct drive train
- 3 Smart inlet valve
- 4 Oil cooling motor

### Air cooled

Model	Working pressure	Motor Power		Capacity		Noise level	Dimension	Weight	Connection
	Mpa	kW	hp	L/s	cfm	dB(A)	LxWxH (mm)	kg	Size
DRF220 PM	0.7-1	160	220	127-497	268-1052	78	2880 x 1754 x 1930	2884	DN80
DRF270 PM	0.7-1	200	270	143-590	304-1250	80	3602 x 2104 x 2023	4097	DN100
DRF340 PM	0.7-1	250	340	185-703	392-1490	80	3602 x 2104 x 2023	4267	DN100
DRF151 PM	0.7-0.8	110	150	100-385	212-815	78	2880 x 1754 x 1930	2351	DN80
	1			98-317	208-671				
DRF181 PM	0.7-0.8	132	180	100-450	212-953	78	2880 x 1754 x 1930	2391	DN80
	1			98-377	208-798				
DRF221 PM	0.7-0.8	160	220	98-545	208-1154	80	3602 x 2104 x 2023	3242	DN100
	1			97-465	205-985				


### Water cooled

Model	Working pressure	Motor Power		Capacity		Noise level	Dimension	Weight	Connection
	Mpa	kW	hp	L/s	cfm	dB(A)	LxWxH (mm)	kg	Size
DRF220 PM	0.7-1	160	220	127-497	268-1052	78	2880 x 1754 x 1930	2779	DN80
DRF270 PM	0.7-1	200	270	143-590	304-1250	80	3602 x 2104 x 2023	3886	DN100
DRF340 PM	0.7-1	250	340	185-703	392-1490	80	3602 x 2104 x 2023	4056	DN100
DRF151 PM	0.7-0.8	110	150	100-385	212-815	78	2880 x 1754 x 1930	2246	DN80
	1			98-317	208-671				
DRF181 PM	0.7-0.8	132	180	100-450	212-953	78	2880 x 1754 x 1930	2286	DN80
	1			98-377	208-798				
DRF221 PM	0.7-0.8	160	220	98-545	208-1154	80	3602 x 2104 x 2023	3033	DN100
	1			97-465	205-985				

Notes: \* Unit performance measured according to ISO 1217, annex C and ISO 2151 latest edition. \* More detail, please contact your local salesforce.

## We protect your efficiency

Energy costs represent about 70% of the total operating cost of your compressor over a 5 year period. That's why reducing the operating cost of a compressed air solution is a major focus. Variable frequency driven compressors can cut the energy bill of your compressor by up to 30%.



## Complete your compressed air installation with an ICONS plan

What if your compressor needs service or an immediate intervention? With an ICONS plan, you get an alert from your controller delivered straight to your computer, tablet or smartphone. Wherever you are, you can take immediate action and reduce the risk of downtime and other costs.



### With connectivity




### Without connectivity



## We've got your compressed air covered

Extend the Ceccato reliability and performance throughout your compressed air system.



- 1 Air compressor
- 2 Air dryer
- 3 Line filters
- 4 Oil separators
- 5 Air receiver buffer storage
- 6 Piping system
- 7 Central controller





Contact your local representative:

[www.ceccato.com](http://www.ceccato.com)



#### CARE

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

#### TRUST

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

#### EFFICIENCY

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.